	STATE PLY MINES		STATE O	ERTIFIC	ATE OF	DEATH	A 74	70	97-	0375	186	
DECEDENT PERSONAL / DATA	LENO .	A MICHAEL MAN IN		LaB	LeBIANCA		24 DATE OF BEATH- AUG. 10,196	NAME 28 HOURS P. 10:50 P.				
	a MANE AND SHTHPLACE OF PATHER			Augr	ART 6.1	925	44 YEARS	1,000	77.	00		
	Antonio LaBianoa & Italy Courter of What Courter & SOCIAL RECORTY MARKET USA 552-38-2322			HELLETOG OF								
	Proprietor	Wholesale Grocery Retail Grocery market					ets					
OF DEATH	IS CITY OR TOWN			330	3301 Waverly		D BRANDEN ON FOCUSION-		TOB			
USUAL RESIDENCE	IOS Angeles Who usual sempenci - street assess of uscannon 3301 Waverly Drive Be conver town the county Los Angeles Los Angeles Za CORONER the part for the pa			MICH ON LUCATION	Los	Angele	LIMITS	20 MANE AND MARK		PRESS OF INFORMANT		
Alemania print				(20 abl757 ber7	DE STATE California		ll? Via Nice Newport Beach,		Ce71# 0266			
PHYSICIAN'S R CORONER'S ERTIFICATION		7:	COM		and the last	Res	CON COMO	Sanitone	A A	UG 1 3 1	ID O	
FUNERAL DIRECTOR AND LOCAL REGISTRAR	Entombern	ZŽa ECTOR ION PR	DATE 3/16/69	70/55 (0.000)	сенетен о	CREMATORY	1	Acres 6	RB	the.	1.700	
9	CONSTRUCT BAS CONSTRUCTS IN ANY, MACCONSTRUCTS IN ANY, MACCONSTRUCTS	TR GREJAS	THE RESERVE THE PARTY OF THE PA	DUTTER OW	TOB LY ONE CAUSE INDS TO	PER LINE FOR	ARA	ABDOMEN CAN		GIA	302	
CAUSE OF DEATH	ATE CAUSE (A), STATING THE SHOETH CAUSE (B) THE SHOETH THIS CAUSE (B) DIVE TO: OR AS A CONSEQUENCE OF			MA	NDS TO NECK AND ABDOMEN CAUSING MASSIVE HEMORRHAGE.				•	MATE PITERVAL PETWEEN OMSET		
	SO PART 8 OTHER SIGNA	IC)	TIONS - correspond t			CAME SINGS IN PART &	n 22	W.	32. 192.	324 520.5	DEATH	
MJURY MEGRIATION 24 ^F	J3 SPECIFY ACCRES SACO	04 DR HORCON	M mad or a		THE RESERVE	35 MANY AT 1		NO 344 DATE OF BLUET	IES	36a HOUR	series de s	
	37. PLACE OF REALTHY OF MICHIGAN OF LOCATION AND CITY OF THOSE AND DESCRIPT HOW MIGHT OC. LIMITS HAVE MICHIGAN OF CHAPT SHOW MIGHT OCCUPANT AND ADDRESS OF CHAPT SHOW MIGHT IN CASE AND ADDRESS OF CHAPT SHOW MIGHT SHOW MIGHT AND ADDRESS OF CHAPT SHOW MIGHT SHOW MIGHT AND ADDRESS OF CHAPT SHOW MIGHT SHOW					37a Bridge Age	7.746-6	30. Who contains here there are	772	39 EL 182 EL 182		
STATE RE JISTPAR		1		c		0		1	T	1882		

File # 69-8859

OFFICE OF CHIEF MEDICAL EXAMINER-CORONER

Date_AUGUST 11, 1969 Time_ 1:30 PM

an autopsy on the body of LENO LA BIANCA

CE OF CHIEF MEDICAL EXAMINER-CORONER, HALL OF JUSTICE, LOS ANGELES,

anatomic findings and pertinent history I ascribe the death to:

MULTIPLE STAB WOUNDS TO NECK AND ABDOMEN CAUSING MASSIVE HEMORRHAGE

FINAL: September 8, 1969

ANATOMICAL SUMMARY

MULTIPLE STAB WOUNDS TO NECK AND ABDOMEN:

- A) Transection, right carotid artery.
- B) Laceration of trachea.
- c) Perforation of small bowel and colon.

D) Perforation of mesentery.

LIGATURE AROUND WRIST.

Y OF INJURIES:

nterior neck near midline, 14 inches from vertex, stab with knife still in place, transecting right carotid with exit on the lateral portion of the right neck. ade is approximately 5 inches in length with brownish, ed handle. After removal of this knife with serrated it is given to custody of Homicide Detectives, Los s Police Department. This injury is considered fatal.

n left side of neck, 9-1/4 inches from midline, extends rd and posteriorly, lacerating the left lateral aspect trachea. The adjacent vessels do not show gross ction. This injury is probably not fatal.

ounds #3,#4,#5, and #6 are on the left anterior abdomen als 23, 24-1/2, 25, and 26-3/4 of an inch from vertex, ose direction is in a downward and inward direction from ceased's left to his right, to penetrate the abdominal causing numerous perforations of the small bowel and ing colon and also lacerates portions of the mesentery. of penetration is approximately 5 inches. In addition,

#69-8859 LENO LA BIANCA AUGUST 11, 1969

2

at level 10-1/2 inches from the vertex on the left supraclavicular area is a laceration stab wound which extends approximately 3-4 inches in depth to the right of the deceased and penetrates the soft tissue without transecting major vessels. Small lacerations are present on the upper anterior portion of the chest which are rather superficial and do not penetrate into the chest space.

On the posterior flank just to the right of midline, 22-1/2 inches from the vertex is a laceration stab wound 1-1/8 inch in width, penetrating downward deeply into the connective tissue. However, it does not penetrate into the abdominal space or the retroperitoneal organs.

The wrist shows extensive ligature marks, bilaterally, and with extensive slippage of the skin in the area with marked discoloration, purplish, of the more distal aspect of the hands with extensive area of slippage of the skin. No defense marks are recognizable on the fingers.

The anterior abdomen shows the letters "WAR" consisting of linear superficial lacerations with yellowish border approximately 1/8 of an inch in width with central minimally reddened laceration. Also present in the abdominal areas are seven pairs of marks approximately 1/2 inch between the marks, consistent with time marks from a fork; these do not penetrate into the abdominal space.

EXTERNAL EXAMINATION:

The body is that of a clothed Caucasian male whose upper portion is in a rather bloody blue pajama top, and the lower portion in a blue pajama bottom that is rather bloody. Extensive amounts of blood are present on the upper portion of the neck. The head is covered with a pillow case type covering with an electric cord ligature around the back of the neck, covering anteriorly around approximately the level of the mouth. The abdomen at present is exposed and shows on the anterior aspect four stab type wounds, and on the surface are several letters scratched "WAR" which have yellowish border and central reddish lacerated area. The hands are tied together with a rather thin leather thong.

After removal of the clothing it is noted that a knife is present imbedded up to and beyond where the handle begins. This is imbedded on the anterior aspect pointing slightly backwards and upward. This is in position of injury #1 described above. No evidence of blunt trauma is detectable superficially.

The unembalmed body is that of a Caucasian male whose height is 71 inches and weight of 230 pounds, whose age appears as stated of 44. The external genitalia is male. The hair is gray, the eyes are hazel. The teeth are in good condition. No evidence of injury is present on the lips. No pitting edema is recognizable. No surgical scars are noted.

#59-8859 LENO LA BIANCA AUGUST 11, 1969

3

INTERNAL EXAMINATION

INCISION:

The usual Y-shaped incision is employed. A small amount of blood is present in the abdominal space. Large amounts of blood are present in the structures and connective tissue around the neck organs. There is no accumulation of fluid or blood in the thoracic spaces.

RESPIRATORY SYSTEM:

The trachea and bronchi contain moderate amounts of brownish-gray, granular material consistent with gastric origin. The mucosa shows no significant erosion. The lungs weigh right: 450 grams, left - 470 grams. Cut surface shows extensive edema and brownish autolytic changes on the posterior aspects, bilaterally. There is no recognizable consolidation. The pulmonary vessels are grossly normal.

CARDIOVASCULAR SYSTEM:

The aorta and its branches show no significant atherosclerosis. The heart weighs 330 grams and lies within a smooth pericardial sac. There is no dilatation of chambers or hypertrophy of muscles. Cut surfaces of musculature shows no recognizable old, recent, or fresh infarct. The coronary arteries show no significant atherosclerosis. Valve appearances and sizes are within

HEMIC AND LYMPHATIC SYSTEM:

The abdominal and mediastinal nodes are not remarkably enlarged. The spleen weighs 160 grams, has a slightly wrinkled capsule and moderately firm red-purple decongested parenchyma. The vertebral marrow is red-brown in color.

DIGESTIVE SYSTEM:

The esophagus contains a small amount of regurgitated material. The stomach contains approximately 200 cc of granular brownish material. The mucosa shows no significant congestion. The small bowel, appendix, and colon are grossly normal except for the perforations in the loose of bowel and mesentery as noted previously. No significant hemorrhage into lumen is noted. There is minimal clotted blood present in the area. The pancreas shows early postmortem autolytic changes and shows no evidence of inflammation or fibrosis. The liver weighs 2320 grams, has a smooth capsule and pale yellow-brown, glistening appearance. The lobules show some accentuation. Minimal early fibrosis is present. The gallbladder and biliary tree are grossly normal.

AE9-8559 LENO LA BIANCA AUGUST 11, 1969

b

UROGENITAL SYSTEM:

The kidneys weigh: right - 170 grams, left - 160 grams. The capsules strip with ease. The cortex is up to 4-5 mm in thickness. The vessels show no gross abnormality. The pelves, ureters, and urinary bladder are grossly normal. The prostate weighs approximately 30-40 grams, has the usual fibronodular appearances and shows no recognizable evidence of inflammation. The testes are descended in the scrotum.

ENDOCRINE SYSTEM:

The adrenals show no recognizable abnormality. The thyroid weighs approximately 25-30 grams, shows moderately extensive hemorrhage into the connective tissues surrounding. The parathyroids are not grossly enlarged. The pituitary shows no gross abnormality.

SKULL AND CENTRAL NERVOUS SYSTEM:

The scalp shows no significant hemorrhage. The calvarium shows no evidence of injury or fractures, old, recent, or fresh. The brain weighs 1450 grams. The leptomeninges are clear and transparent and show minimal congestion. The arteries at the base show no significant atherosclerosis. Multiple sections through cerebrum, cerebellum, midbrain, and pons show no recognizable hemorrhage, infarct, or neoplasm. There is a slight early yellowish-green discoloration of the tissue. The ventricular system is slightly diminished in size. There is slight grooving of uncinate. There is minimal herniation of cerebellar tonsils.

MUSCULOSKELETAL SYSTEM:

No fractures of the extremities are palpable. The ribcage shows no recognizable fractures. The cervical spine shows a slight laceration to the left at approximately the C-3, C-4 level. However, penetration into the canal is not demonstrated, and no recognizable contusions or lacerations of the cord are demonstrated. The thoracic and lumbar spine are grossly normal.

TOXICOLOGY:

A specimen of blood is submitted for toxicological purposes.

SECTIONS - Routine hold sections are taken.

NOTE - Sargeant Knuckles from Central Homocide Division present at autopsy.

DAVID M. KATSUYAMA, M.D. DEPUTY MEDICAL EXAMINER

DMK:AMJ::G 9/11/69 Right lateral flexion Left lateral flexion

AW:

LBOW:

RIST:


HOULDER:

HIP: KNEE: ANKLE:

LIVER TEMPERATURE -WHERE TAKEN AT SCENE DATE 8-11-69 TIME 421

LIVOR MORTIS:

Use shading on diagrams to illustrate location. Describe intensity of coloration. (use scale) Permanent or blanches under pressure? Describe.



NONE NOTED BODY CLOTHED

4+ = Extreme Degree = Absence/Negative

SCALE

2+

R

iark:

Date 8-11-69 Time 7000

REPORT OF CHEMICAL ANALYSIS

OS ANGELES COUNTY MEDICAL EXAMINER-CORONER

Toxicology Laboratory
Hall of Justice
Los Angeles, California

	7 .	File	No. 69-88	59
Leno LaBian	CE		Lab No.	8-204-69
August 12,	1969	Time	8 A.M.	
D. Katsuyam	a, M.D.			
Blood X	Liver		Stomach	
Brain	Lung		Lavage	
Femur	Spleen		Urine	
Kidney	Sternum		Gall bladder	
Drugs	Chemicals	. "1.		

Ethanol, Barbiturates


Lood : Ethenol absent

lood: Barbiturates absent

E.R. Thompson Head Toxicologist. Date August 18, 1969

dic S. Wright Toxicologist August 18, 1969

COUNTY OF LOS ANGELES



M.D.

COUNTY OF LOS ANGELES

AUTOPSY CHECK SHEET

vame 1- & Diance Cen	File #	Date Time 30
EXTERNAL EXAM	PERITONEUM	BRAIN W+ 1452
Sex [7]	Fluid	Dura S
Race C	Adhes	Fluid
Age +4	LIVER Wt 2322	Ventric U
Height 70	Caps S	Vessels & L
Weight 23.0	Lobul on Py	Ears \
Hair Cyl-	Fibros wine	
Eyes Ha	GBO	Nasal Sin PITUITARY OIC
Sclera	Calc	FITOILAKI CIC
Teeth	Bile ducts O	
Mouth	SPLEEN Wt 160	
Tongue	Color RP	
Nose		
Chest	Consist (1	
Breasts	Caps 5W	TOXICOLOGY
Abdomen	Malpig	Bl-
	PANCREAS D	
Scar	ADRENALS	SECTIONS
Genital	KIDNEYS WH 170 160	portine
Edema	Caps E	
Skin	Cortex 4-5	
Decub	Vessels OL	
HEART WE 330	Pelvis O	GROSS IMPRESSION
Pericard O/C	Ureter O	c.T.
Hyperick	BLADDER K	DR 5 11
Dilat OK	GENITALIA	of interfelo
Muscle Of	Prost 30-40	c c C
Valves OL	Testes & L	Ce. mila
Coronar O(Utéplus	0 10
AORTA ON	Types	K-cawted.
/ESSELS	Oyar	to
UNGS WI	DESOPHAGUS PLLY	em santa
R 450	STOMACH 200 Japan 6	- reargument
L 470	DUOD & SM INT pets. 3-	agg. vont
Adhes	APPENDIX 6 ()	()
Fluid	LARGE INTREX 1 asc.	(.0 =
Atelectasis	ABDOM NODES	fally curling
Oedema . a. discot.	SKELETON	0 1 0
Congest post. dig.	Spine	Las
Consol		7
Bronchi	Marrow RB	
Nodes		
HARYNX	I	david M. Katsuyama, M.D.
RACHEA - dege a for		
HYROID Summers Doff.	96	onic
HYMUS 200		Deputy Medical Examiner

COUNTY OF LOS ANGELES

OFFICE OF CHIEF MEDICAL EXAMINER-CORONER

Name: LENO LA BIANCA MEDICAL REPORT

Case No. 69-8859

Date: 8-11-69

CONTINUATION SHEET

Information from Officer Galindo, D.H.G., LAPD. at scene. The decedent and his wife Rosemary were found at approx. 10:30 P.M, 8-10-69, by her children, Susan and Frankie Struthers. The boy Frankie age about 14, came to the decedents home at 8:00 P.M., but received no response at the door. The then went to his siste apartment, and he, the sister, and the sisters france returned. They obtained a key to the back door off a key ring that was in the ignition switch of a car parked in driveway in back of the house. on entering, they observed the fallowing siene; The decedant was lying on the floor, between I could and a large coffee table. a 2 prong fork from a carving set was stuck in decedents abdomen. There were multiple stab wounds to abdomen, and the word WAR had been crudely served on decedent lower chest. Her head was wrapped in a white, bloody pillow case, secured by an electrical cord still attached to a large table lamp.

On the front wall, near the upper left corner of the door, the word RISE was printed in blood On the back wall of the living room the phrase "DEATH TO PIGS" was presented, also in blood. On the door of the refugerator, the words "HEALTER SKELTER" was hurrielly printed, and abriously mis The live of the same of the sa

Upon seeing all this, the children non across The street to call the police. When police arine a more thorough search revealed the following additional scene. The side door of the drawing room, separating the living room from the kitchen was agar, an further investigation, the officers found decedents wife Rosemary (case# 69 8860) in the bedroom, lying face down

CONTINUED

Autopsyfiles.org - Leno LaBianca Autopsy Report and Death Certificate

COUNTY OF LOS ANGELES

OFFICE OF	CHIEF MEDIC	AL EVAMIN	ED 000000		
Name: LENO LA BIANCA	MEDICAL	REPORT	Case No. 69-	88	59
The state of the s					

Date: 8-11-69

CONTINUATION SHEET

between the bed and a low-boy chect. The head was covered with a pellow cashand seemed around the neck with an electrical cond still attached to a large table lamp. The lamp and lamp table were askew, the room showed signs of a struggle. Money (1.00 bills) were on the floor alon with other items that had possibly been knocked aff the night stands. Her nightgown was up our the buttocks and there were numerous stab wound and seratches on the back and buttocks, but no blood.

Both bodies were dressed for sleep, the man (case #69-5859) being in personas, the woman (case #69-8860 was in a nightgown and a house-cost AND WOULD HOVE FALLEN OUT UPON RESIDENCE OF BODY FOM SCENEY. OF BODY FOM SCENEY. Declarity of BODY FOM SCENEY. Declarity was praturding from the mane abdomen. Some phasis were taken from the womans hands, and plastic bogs applied to pratect any other possible evidence from loss or destruction.

on a hilly, winding street, in a rather secluded middle class neighborhood. It was an alder home, but very tastefully and expensively appoint fact from which the son had preculted the back door key was an all Thurselvid coupe.

NOTIFY CENTRAL HOMICIDE

ON ROSEMARY

John C. Vouden

76H118U-8-67